

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name		VC-MET001	Metaux Castle								
PO27134	3		M303B1.000X1.000 f	f	2/27/2015	2/13/2015	12.0000	\$15.01	0.0000	0	\$180.12
CAD	No		303 BAR 1" X 1"	f	12.0000	DCUSER		\$180.12	0.0000	0	
			m131553								
	5		71401-45		2/6/2015	2/13/2015	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	DCUSER		\$0.00	0.0000	0	
			m131553								
									Total Received Quantity:		13.0000
									Total Qty to Inspect (PO U/M):		0.0000
									Total Reject Quantity:		0.0000
									Total Receipt Value:		\$180.12
									Total Balance Due Quantity:		0.0000

**Castle Metals®**

A. M. Castile & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2497743


Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castile & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
11-FEB-2015	ORIGIN	Prepaid	MANITOULIN	2497743-2

Shipment Details		Final Destination Branch - MON
------------------	--	--------------------------------

Order No	Line No	Item No	Description
3731001	1	4885	1.0000.SQ.303.STAINLESS.CD.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582
Purchase Order No	Part Number	Ordered Qty	Invoice Qty
27134		12.00 FT	10.9167 FT

Details
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S
FORWARD COPY OF P/S TO COLLEEN (MONTREAL)
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

8502-13

Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
119948701	VALBRUNA CORPORATION	 261867		1		131.0000	37.1167

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castile & Co. within 60 days of the shipment. Material due to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

11 Date: 2015
11 FEB 2015These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 11-FEB-2015 10:46:43 AM



**CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1**

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number : 0039 (0) 444968211

Client / Buyer/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
 Hersteller/Hersteller producer

Stato di fornitura: Hot rolled - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Specifiche:
Anforderungen / Requirements / Exigencias
3303-22 31 303 A,CF
ASTM A582 2012 S30300

Avviso di Spedizione: D-VI14021801
Untermyer Packing Inc./U.L.

Ordine nr: 39295 276235 CASTLE
Bucuresti, Romania

Tipo di Elaborazione: E+AOD
Errechnungsart/Listing process-Mode d'elaboration

Certificato nr: MEST539894/2014/

Conferma ordine nr. E114003841
Web/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Herstellers
Trade mark
Brisa da fábrica produtora

Punzone del Collaudatore:
Stampel des Werkstoffverständigen
Inspector's stamp/Plombon de l'essayeur

Quanta: T-303 #4885

Marca: **VPAU188Z**
 Unterbrechung: **VALPLUS**

Tolleranza: ASTM A484-14 TABLE 8
Toleranz/Tolérance/Tolerance

Punzonatura: 303
Kawachi and Madono Marston

VALPLUS		RAPPRESENTAZIONE IN PUNTI					
Pos. nr. Pos. nr. No. de positi	Oggetto Gegenstand Product description Description de produit	Dimensioni - in Abmessungen Dimensions Dimension	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Places	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot no. Lote no.
0010	Square	1,0000 x 1,0000	128 / 148	261867		2.284	314404300

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf Lieferzustand produziert test à l'état de fourniture Prueba sobre el material así como entregado

TEST		Provetta / Probes Spezialprüfkörper Längs-Stab, Quer- Stab, Dübel, Stäbe Vielst. Dübel, Teflon Längs-Stab, Teflon	°F	Post. Saggio Nachversuch Längs-Stab	Snervamento Zugversuch Vielst. Dübel Rp 0,2% k.s.l.	Snervamento Zugversuch Vielst. Dübel Längs-Stab	Resistenza Zugversuch Trennung Resistenz Rm k.s.l.	Alungamento Zugversuch Elongation Allungement E 4d %	Strizione Zugversuch Verformung Verformung RA %	Resilienza Martens Impact Impact Resilienz MB	Durezza Harden Dureté HB
Valori richiesti / Required values Valeurs demandées		min max			-	-	-	-	-	-	140 255
A	12,5	68	L	71			101	42	52		232

111 = horizontal distance, T = universal time, Q = Tangent to tangent

Analisi chimica

Chemische Zusammenfassung/Chemical Analysis/Analyse chimique

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique														
Coated steel Schweißstahl/Coil	min - max 0,150	1,00	2,00	17,00 18,00	1,00	1,00	8,00 10,00	0,150	0,15	-	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %					
261667	0,050	0,44	1,76	17,22	0,37	0,49	8,01	0,030	0,30					

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gesamten Anforderungen sind lt. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été fourni conforme aux exigences

Controllo antimiscelanza: OK
Veredelskungen: epacresinethisch durchgeführt
Anwendung testing performed: OK
Controllo antimiscelanza: OK
Controllo antimiscelanza: OK

Controllo visivo e dimensionale: soddisfa le esigenze
 Beschädigung und Ausmessung: ohne Beiräudung
 Visual inspection and dimensional check satisfactory
 Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

We declare that the finished product is checked for radioactive contamination through PONS System which is a part of the product control system. The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, s. 4.3 by TÜV and LLOYD'S

Any act of tampering, including the use of adulterants or other substances, shall be considered as a criminal offense. Accelario Valbruna shall protect its rights and interests before any competent court, autonomy and jurisdiction of applicable civil and criminal laws.

Maxival and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

All products must comply with requirements specified by certified norms and standards. Should there

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 27/06/14
VCCSSE
(Mod. MCE22)

Il collaboratore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

Pagina - 1 di 1

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7203 1.00X1.00
 RECEIVED BY: Sonia P
 DATE: 15/02/13
 P/O#: 27134
 QUANTITY ORDERED: 12
 THICKNESS ORDERED: 1.00X1.00
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 11
 THICKNESS RECEIVED: 1.00X1.00
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
INCORRECT FINISH	Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="radio"/> N	
INCORRECT MATERIAL	Y <input checked="" type="radio"/> N	
INCORRECT THICKNESS	Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>15/02/19</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO27134

Purchase Order Date 1/20/2015

PO Print Date 1/20/2015

Page Number 2 of 3

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 9575

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 10

Currency

CAD

FOB

FCA - (Free Carrier)

2	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	2/6/2015	12.00	✓	\$62.72	\$752.64
			Yes	f			
			2/6/2015				

MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643
GRAIN MUST BE ALONG LENGTH OF BAR
MINIMUM YIELD TENSILE STRENGTH = 100KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 150KSI

SP15-02-3

Line Total: \$752.64

3	M303B1.000X1.000	303 BAR 1" X 1"	2/27/2015	12.00	✓	\$19.08	\$228.96
			Yes	f			
			2/27/2015				

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

SP15-02-13

Line Total: \$228.96

Note:

1/20/2015